



**Tender Notification**

Sealed quotations are invited for the purchase of Photo-Copier machine at Kalyani Campus and Headquarters of School of Humanities of NSOU. Detail specifications are mentioned hereunder. Quotations are to be submitted at 1<sup>st</sup> Floor Room No 101 of NSOU Headquarter (DD26, Sector 1, Salt Lake, Kolkata 64) within 7Days of the publication of this notification. Be it noted that the technical bid and financial bid are to be submitted separately.

Sr. No	Description of Item required	No. of Pieces required	Specification
1.	Photo Copier machine	2	As mentioned in against Sl. No. 1 in ANNEXURE-I

All relevant document like PAN, TAN, Trade Licence and certificate of authorization are required to be submitted along with the quotation.

University reserves all right to cancel this notice without assigning any notice.

Dr Manan Kumar Mandal  
Officer-in-Charge  
School of Humanities

**1. Specification for Photo Copier Machine:**

Standard functions	Copy, Email, Fax, Print, Scan
Copy/print speed	up to 30 ppm
Connectivity	10/100BaseTX Ethernet, USB 2.0, Wi-fi 802.11b/g/n (1X1)
First-page-out time, printing	As fast as 8.5 seconds
Two-sided output	Standard
Page Description Languages (PDL)	Adobe® PostScript® 3™ compatibility, PCL® 5e emulation, PCL® 6 emulation, PDF 1.4
Duty cycle	Up to 50,000 images/month
Recommended monthly print volume	Up to 4,000 pages
Warranty	One-year on-site
<b>Print</b>	
Maximum print resolution	600 x 600 dpi (up to 1200 x 1200 enhanced image quality)
Processor	360 MHz
Print memory (standard/max)	128 MB / 384 MB
OS support	Fedora™ Core 1-4, Mac OS® X version 10.3 or higher, Mandrake 9.2-10.1, Red Hat® 8-9, SUSE™ 8.2-9.2, Windows® 2003 Server, Windows® 2008 Server, Windows® Vista, Windows® XP
Network protocols	HTTP, IPP, SNMPv3, TCP/IP
Print features	Booklet printing, Fit-to-page, N-up, Overlays, Poster printing, Print from USB memory drive, Scaling, Watermarks
<b>Copy</b>	
First-page-out time, copying	As fast as 10 seconds
Maximum copy resolution	1200 x 1200 interpolated
Copy features	2in1 Copying, Collation, ID Card Copy, N-up, Poster mode, Reduce / Enlarge

Ref. No: SOH/44(ii)- [492B]

Date: 10<sup>th</sup> July, 2015Reduce/Enlarge via 25 - 400 %  
platen**Fax**

Fax compression JBIG, MMR/MR/MH

Fax features Auto reduction, Junk fax barrier, Memory fax, Secure fax: receive\*

\* - Analog phone line required.

Fax send features Auto fax transmission reduction, Automatic memory resend, Broadcast, Delay fax, Fax from platen, PC Fax Send (Windows only), Transmission options (Report/Header)

Receive features Fax rerouting, Junk fax prevention, Secure receive

Colour fax send Yes (send)

Group dials (one line) Up to 200

Fax resolution Fine (200 x 200 dpi), Normal (100 x 200 dpi), Superfine (300 x 300 dpi)

**Scan**

Scan destinations Network scan to PC, Scan to TWAIN application, Scan to USB memory drive, WIA

Scan file formats JPEG, PDF, TIFF, multipage PDF, multipage TIFF

Scan drivers TWAIN, WIA

Maximum resolution Up to 4800 x 4800 interpolated

**Media Handling**

Document handler Automatic Document Feeder

Capacity: 50 sheets

Size: 5.6 x 5.8 in. to 8.5 x 14 in.

Paper capacity Tray (Multipurpose tray): 1 sheets

Tray 1 (Paper tray): 250 sheets

Tray 2 (Paper tray) (optional): 250 sheets

Paper size Tray (Multipurpose tray): Sizes: #10 Commercial, A4, A5, B5 JIS, C5 Envelope, C6 Envelope, Custom sizes, DL Envelope, Executive, ISO-B5, Legal, Letter, Monarch, Oficio, US Folio; Custom sizes: 3 x 5 in. to 8.5 x 14 in.

Tray 1 (Paper tray): Sizes: A4, A5, B5 JIS, Custom sizes, Executive, ISO-B5, Legal, Letter, Oficio, US Folio; Custom sizes: 3 x 5 in. to 8.5 x 14 in.

Tray 2 (Paper tray) (optional): Sizes: A4, A5, B5 JIS, Custom sizes, Executive, ISO-B5, Legal, Letter, Oficio, US Folio; Custom sizes: 3 x 5 in. to 8.5 x 14 in.

Paper weight Tray (Multipurpose tray): 16 to 43 lb bond

Tray 1 (Paper tray): 16 to 28 lb bond



Ref. No: SOH/44(ii)- [492B]

Date: 10<sup>th</sup> July, 2015

Tray 2 (Paper tray) (optional): 16 to 28 lb bond

Media types	Tray (Multipurpose tray): Bond, Card stock, Envelopes, Labels, Letterhead, Plain paper, Recycled paper, Transparencies Tray 1 (Paper tray): Bond, Letterhead, Plain paper, Recycled paper Tray 2 (Paper tray) (optional): Bond, Letterhead, Plain paper, Recycled paper
-------------	---

Output capacity	150 sheets
-----------------	------------

Standard paper capacity	250 sheets
-------------------------	------------

Maximum paper capacity	500 sheets
------------------------	------------

### Device Management

Device management features	Auto IP, DHCP, SNMP v.3, Xerox CentreWare® Internet Services Embedded Web Server
----------------------------	--

### Electrical

Power consumption	Operating: 450 W Standby: 60 W Power save: 12 W
-------------------	---

### Certifications

Certifications	Certified to UL 60950-1/CSA 60950-1-03, 1st Edition, EMC Directive 2004/108/EC, FCC Part 15, Class B, FCC Part 68, Low Voltage Directive 2006/95/EC, R&TTE Directive 1999/5/EC
----------------	--

Sd/-

Dr Manan Kumar Mandal  
Officer in Charge  
School of Humanities