



Memo No: AC/161/18-19

Date: 10/08/2018

TENDER NOTICE

Sealed quotations are invited from reputed vendors to quote their lowest possible rate for the supply and delivery of the under-mentioned items to the School of Sciences at Netaji Subhas Open University, ((**First Floor Faculty Building, Botany Laboratory, Durgapur Regional Campus, Durgapur, West Burdwan**), subject to the following terms and conditions.

Last date for submission: 24/08/2018 up to 4 PM.

Place of Submission: Finance Department, 4th Floor, Netaji Subhas Open University DD-26, Sector-I, Salt Lake, Kolkata -700064

Contact No: 7003009205, 9433151129, 9051162059

Copies of Documents to be submitted: GST No., PAN, TAN, Trade Licence, P. Tax

Individual item will be compared to have lowest quoted rate

Format for Submission of Quotation

Sl No.	Product & Code	Specification	Qty	Rate (Rs.)	GST (Rs.)	Rate including GST (Rs.)	Total (Rs.)
A	B		C	D	E	F=D+E	G=C x F
1	Laminar Air Flow	SIZE 4'X2'X2'/Cleanness: class 100/Cabinet contracted/all stainless steel/Working table top stainless steel. GRADE -304/Low vibration and noise/Partied retention 0.2 micron and above through HEPA filter/Easy movement due to castor wheel provision/Power supply 230V S.P50Hz AC mains/UV lamps /clear imported(Philips) acrylic front door/pressure manometer/Air Velocity : 90 fpm/Additional exhaust system with perforated S.S table for vertical flow versions also available/Cock for gas	1				



2	Autoclave	SIZE :18''X24''/digital auto pressure cut out switch/Made of all stainless steel/Inner chamber and outer jacket made of heavy gauge stainless steel/Lid special type 10mm stainless steel/Ring special type steel/Sterilizing temperature 121°C/Sterilizing pressure 15 PSI to 22 PSI/Heavy type stainless steel Basket/Double safety valve/Automatic pressure cut-out switch/	1				
3	Single Distillation unit	BOROSIL/ CAT. NO-3361 output capacity-4.0 LIT/HR	1				
4	Refrigerator	double door (285 litter, 5 star) LG302RSAU	1				
5	Incubator (Cooling & Heating)	Size: 10CU/FT. Double walled with PUF insulation/Interior chamber stainless steel.22/24 gauge (3 rack s.s) perforated tray stainless steel/Exterior chamber (22 gauge) of CRCA finished in epoxy paint. Or powder coat/Full view inner imported acrylic door/Digital setting and display of chamber temperature/Temperature range 5-60 °C/Accuracy of controlled .5 °C/High performance air circulation assembly.(marathon)/Microprocessor based digital controlled.7 segment/Built in voltage stabilizer/Shaker 12 flask 250ml , 500ml 1000ml adjustable/Shaking S peed-40-180 rpm/Digital RPM counter to display shaking speed digitally	1				



6	Digital Balance	Capacity: 220gm/Readability:0.001 g (1mg)/ Digital High Precision Balance Salient Features/Based on E.M.F.C Technology	1				
7	Spectrophotometer	Digital Spectrophotometer Range 340-960nm with facility for automatic concentration, %Transmission & Abs measurements. Simultaneous display of wavelength with 1nm resolution on 3 digit LED display and data on 3½ digit LED display are available. Provision for 10mm & 50mm cuvette holders with adapter is available. A set of 2Nos. 10mm path length/glass cuvettes is supplied with the instrument.	1				
8	Spinix-Vortex shaker	TARSON 3020	1				
9	Spinot-Digital Magnetic stirrer Hot plate	TARSON 6040	1				
10	Gel electrophoresis unit	TARSON-7020	1				
11	Electrophoresis Power Supply Unit	TARSON-7090	1				
Total (Rs.)							
Rupees							

Finance Officer

Netaji Subhas Open University DD-26, Sector -1, Salt Lake, Kolkata-700064

Sachindra Chandra Kar, Finance Officer, Email: sachindrakar@yahoo.in, Mobile No: 9432747119