

Name

NETAJI SUBHAS OPEN UNIVERSITY

স্নাতকোত্তর পাঠক্রম (P. G.)

অনুশীলন পত্র (Assignment) : জুন, ২০২০/ ডিসেম্বর, ২০২০ (June-2020/Dec.-2020)

MATHEMATICS

Paper - 3B : Partial Differential Equations and Special Func
--

পূর্ণমান : ৫০ QUESTION PAPER CUM ANSWER BOOKLET মানের গুরুত্ব : ২০%

(Full Marks : 50)

(Weightage of Marks : 20%)

পরিমিত ও যথাযথ উত্তরের জন্য বিশেষ মূল্য দেওয়া হবে। অশুদ্ধ বানান, অপরিচ্ছন্নতা এবং অপরিষ্কার হস্তাক্ষরের ক্ষেত্রে নম্বর কেটে নেওয়া হবে। উপান্তে প্রশ্নের মূল্যমান সূচিত আছে।

Special credit will be given for precise and correct answer. Marks will be deducted for spelling mistakes, untidiness and illegible handwriting. The figures in the margin indicate full marks.

(in Block Letter)	:
-------------------	---

Enrolment No.

Study Centre Name : Code :

To be filled by the Candidate	Serial No. of question answered							TOTAL
For Evaluator's only	Marks awarded							

×-----×

Q.P. Code : PA/4/IIIB

PG-Sc.-AP-17102

Signature of Evaluator with Date

NETAJI SUBHAS OPEN UNIVERSITY													
Et Birds OPEN UNC			স্নাত	কোত্তর	র পাঠ	ক্রম (P. G.	.)			STUL	ENT'	S COPY
অনুশীলন পত্র (Assign	ment	t) : জু	ন, ২০	২০/ দি	৬সেম্বর	r, ২ ০ ২	د ە (J ت	ine-2	020/	Dec	2020)	1
				MAT	'HEM	ΙΑΤΙΟ	CS						
Paper -	3B: F	Partia	1 Diff	ferent	tial E	quati	ons a	nd S	pecia	l Fun	ction	L	
Name (in Block Letter	r) :				•••••	•••••							
Enrolment No.													
Study Centre Name :										Co	de :		

Q.P. Code : PA/4/IIIB

PG-Sc.-AP-17102

Received Answer Booklet Signature with seal by the Study-Centre



QP Code : PA/4/IIIB

জরুরি নির্দেশ / Important Instruction

আগামী শিক্ষাবর্ষান্ত পরীক্ষায় (T.E. Exam.) নতুন ব্যবস্থা অর্থাৎ প্রশ্নসহ উত্তর পুন্তিকা (QPAB) প্রবর্তন করা হবে। এই নতুন ব্যবস্থার সঙ্গে পরীক্ষার্থীদের অভ্যস্ত করার জন্য বর্তমান অনুশীলন পত্রে নির্দেশ অনুযায়ী প্রতিটি প্রশ্নের উত্তর নির্দিষ্ট স্থানেই দিতে হবে।

New system *i.e.* Question Paper Cum Answer Booklet (QPAB) will be introduced in the coming Term End Examination. To get the candidates acquainted with the new system, assignment answer is to be given in the specified space according to the instructions.

Detail schedule for submission of assignment for the PG Term End Examination June-2020/Dec.-2020

1. Date of Publication : 20/06/2020 2. Last date of Submission of answer script by the student to the study : 19/07/2020 centre 3. : 16/08/2020 Last date of Submission of marks by the examiner to the study centre 4 Date of evaluated answer scripts distribution by the study centre to the students (Students are advised to check their assignment marks on the evaluated answer scripts and marks lists in the study centre notice board. If there is any mismatch / any other problems of marks obtained and marks in the list, the students should report to their study centre Co-ordinator on spot for correction. The study centre is advised to send the corrected marks, if any, to the COE office within five days. No changed / correction of assignment marks will be accepted after the said five days.) :23/08/2020 Last date of submission of marks by the study centre to the 5. Department of C.O.E. on or before : 31/08/2020

এখানে কিছু লিখবেন না

Do Not Write Anything Here



 $2 \times 5 = 10$

Symbols / Notations have their usual meanings. Answer Question No. 1 and any *four* from the rest.

1. Answer any *five* questions :

- a) Form a partial differential equation by eliminating the arbitrary constants *a* and *b* from $z = ae^{-b^2t} \cos px$.
- b) Construct a partial differential equation by eliminating the arbitrary function f from $z = f \left(\frac{xy}{z} \right)$.

c) Solve:
$$\frac{\partial^2 z}{\partial y^2} = z$$
, given that when $y = 0$, $z = e^x$ and $\frac{\partial z}{\partial y} = e^{-x}$.

- d) Obtain the complementary function of $(D^3 7DD'^2 6D'^3)z = e^{2x+y}$.
- e) Classify the partial differential equation $u_{xx} + xu_{uy} = 0$, $x \neq 0$.
- f) If φ is a harmonic function in \mathbb{R} and $\frac{\partial \varphi}{\partial n} = 0$ on $\partial \mathbb{R}$, then φ is a constant in $\overline{\mathbb{R}}$.
- g) Find the adjoint to the operator *L*, defined by $L(z) = AZ_{xx} + BZ_{xy} + CZ_{yy} + DZ_x + EZ_y + F_z,$

where *A*, *B*, *C*, *D*, *E*, *F* are functions of *x* and *y* only.

First Answer :



Second Answer :



Third Answer :



Fourth Answer :



Fifth Answer :

QP Code : PA/4/IIIB 8 / 20

2. a)

) Form a partial differential equation by eliminating the arbitrary function f from xyz = f(x + y + z).

b) Solve:
$$(x^3 + 3xy^2) p + (y^3 + 3x^2y) q = 2z(x^2 + y^2).$$
 4

c) Solve:
$$(D^2 + DD')z = \sin(x + y)$$
.

3. a) Find the integral surface of the equation

$$(x-y)y^2p + (y-x)x^2q = (x^2 + y^2)z$$

through the curve $xz = a^3$, $y = 0$.

- b) Solve : px + qy = pq by Charpit's method.
- c) A tightly stretched string with fixed end points x = 0 and x = L is initially in a position given by $u = u_0 \sin \frac{2\pi x}{L}$, $0 \le x \le L$, and then released. Find the displacement of any point x of the string at any time t > 0.
- 4. Verify that the Green's function for the equation

$$\frac{\partial^2 u}{\partial x \partial y} + \frac{2}{x+y} \left(\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} \right) = 0$$

subject to u = 0, $\frac{\partial u}{\partial x} = 3x^2$ on y = x, is given by $u(x,y;\xi,\eta) = \frac{(x+y)\{2xy + (\xi - \eta)(x-y) + 2\xi\eta\}}{(\xi + \eta)^3}$

and obtain the solution of the equation in the form

$$u = (x - y)(2x^{2} - xy + 2y^{2}).$$
 10

5. a) Reduce the partial differential equation

$$x^{2}u_{xx} - 2xyu_{xy} + y^{2}u_{yy} + xu_{x} + yu_{y} = 0, \quad x > 0$$

into canonical form and hence solve it.

- b) If the Dirichlet problem for a bounded region has a solution, then it is unique. 3
- 6. If u(x,t) be a continuous function which is a solution of $u_t = u_{xx}$ in the rectangle $R: 0 \le x \le L$, $0 \le t \le T$, then prove that the maximum value of u is attained either on the boundary t = 0 on the boundaries x = 0 and x = L.

Hence show that the solution of the following boundary value problem for u(x,t) is unique:

$$u_t = u_{xx} , \ 0 \le x \le L , \ 0 \le t \le T ,$$

$$u(0,t) = f(t), u(L,t) = g(t), u(x,0) = \varphi(x)$$

where f(t), g(t), $\varphi(x)$ are continuous functions and $\varphi(0) = f(0)$, $\varphi(L) = g(L)$. 10

2

4

7



7. Solve the following problem for u(x,t):

$$\begin{aligned} \frac{\partial^2 u}{\partial t^2} &= c^2 \frac{\partial^2 u}{\partial x^2}, \ 0 \le x \le L, \ t \ge 0\\ u(0,t) &= u(L,t) = 0, \ t \ge 0\\ u(x,0) &= \begin{cases} \frac{x}{b}, \ 0 \le x \le b\\ \frac{L-x}{L-b}, \ b \le x \le \infty \end{cases}. \end{aligned}$$

10

First Answer :







Second Answer :













Fourth Answer :



